

From	the	INITE	RNA	TION	ΔI F	BUREAU
	1116	113 1 6	niva	130 213	ML [UDEAU

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231

in its capacity as elected Office

Date of mailing (day/month/year)
03 October 2000 (03.10.00)

International application No. PCT/IB00/00104

International filing date (day/month/year)
02 February 2000 (02.02.00)

Applicant's or agent's file reference W/C/109

ETATS-UNIS D'AMERIQUE

Priority date (day/month/year)
03 February 1999 (03.02.99)

Applicant

1

CROUSE, Jason, Lee

X in the demand filed with the International Preliminary Examining Authority on: 01 September 2000 (01.09.00)
01 September 2000 (01.03.00)
in a notice effecting later election filed with the International Bureau on:
The election X was
was not
made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Juan Cruz

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35



TENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference W/C/109		ation of Transmittal of International Search Report (ISA/220) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/yea	(Earliest) Priority Date (day/month/year)
PCT/IB 00/00104	02/02/2000	03/02/1999
Applicant		
CROUSE, Jason, Lee		
This International Search Report has bee according to Article 18. A copy is being tr		g Authority and is transmitted to the applicant
This International Search Report consists It is also accompanied by	of a total of sheets. a copy of each prior art document cited	in this report.
Basis of the report		
	international search was carried out on t less otherwise indicated under this item.	he basis of the international application in the
the international search v Authority (Rule 23.1(b)).	vas carried out on the basis of a translation	on of the international application furnished to this
was carried out on the basis of th	e sequence listing:	the international application, the international search
l 😕	onal application in written form.	la farm
	emational application in computer readab	ie iorm.
	o this Authority in written form. o this Authority in computer readble form.	
the statement that the su	·	sting does not go beyond the disclosure in the
		form is identical to the written sequence listing has been
2. Certain claims were fou	ınd unsearchable (See Box I).	
3. Unity of Invention is lac	king (see Box II).	
4. With regard to the title,		
X the text is approved as s	ubmitted by the applicant.	
the text has been established	shed by this Authority to read as follows:	
5. With regard to the abstract,		
X the text is approved as s	ubmitted by the applicant.	
		uthority as it appears in Box III. The applicant may, ch report, submit comments to this Authority.
6. The figure of the drawings to be pub	lish d with th abstract is Figure No.	1
X as suggested by th app	licant.	Non of th figures.
because th applicant fai	led to suggest a figure.	
because this figure bette	r characteriz s the invention.	





A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A63B57/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC\ 7\ A63B$

Documentation searched other than minimum documentation to the extent that such documents are included. In the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 258 161 A (ST JOHN ET AL.) 3 February 1993 (1993-02-03) the whole document	1-14
X	WO 95 07118 A (SVENSSON) 16 March 1995 (1995-03-16)	1–12
A	page 4, paragraph 2 -page 5, last paragraph; figures 1,5,6	13,14
X	DE 90 05 261 U (TOPIARZ) 12 July 1990 (1990-07-12)	1-11,13, 14
Α	the whole document	12
X	GB 236 132 A (LLOYD) 23 July 1925 (1925-07-23)	1-9,13, 14
Α	page 1, line 94 -page 2, line 31; figures 4-6	12
	 _/	
	-/- -	

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed Invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed Invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 26 April 2000	Date of mailing of the international search report 04/05/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,	Authorized officer Williams, M
Fax: (+31-70) 340-3016	,

1





PC1/IB 00/00104

	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	Delevent to state the
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
x	PATENT ABSTRACTS OF JAPAN vol. 016, no. 509 (C-0997), 21 October 1992 (1992-10-21) & JP 04 189374 A (TSUGUYASU SAKAMOTO), 7 July 1992 (1992-07-07) abstract	1-9,12, 13

1

INTERNATIONAL SEARCH REPORT

mation on patent family members

PC1/IB 00/00104

Patent docum in cited in search rep		Publication date		atent family n mber(s)	Publication dat
ĢB 2258161	Α	03-02-1993	NONE		1
WO 9507118	Α	16-03-1995	AU SE	7628394 A 9302864 A	27-03-1995 07-03-1995
DE 9005261	U	12-07-1990	AU WO EP	7774691 A 9116951 A 0527965 A	27-11-1991 14-11-1991 24-02-1993
GB 236132	A		NONE		
JP 04189374	. A	07-07-1992	NONE		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	or agent's file	reference	FOR FURTHER ACTION		cation of Transmittal of International
W/C/109			FOR FURTHER ACTION	Prelimina	ry Examination Report (Form PCT/IPEA/416)
International	application N	lo.	International filing date (day/mo	nth/year)	Priority date (day/month/year)
PCT/IB00	/00104		02/02/2000		03/02/1999
International A63B57/0		sification (IPC) or na	tional classification and IPC		
Applicant					
CROUSE	, Jason, Le	ee			<u> </u>
1. This ir and is	nternational transmitted	preliminary exam to the applicant	nination report has been preparaccording to Article 36.	red by this In	ternational Preliminary Examining Authority
2. This F	REPORT co	nsists of a total of	5 sheets, including this cove	r sheet.	
b(een amende see Rule 70.	ed and are the ba	sis for this report and/or shee 07 of the Administrative Instru	s containing	ion, claims and/or drawings which have rectifications made before this Authority the PCT).
3. This r	eport contai	ns indications rel	ating to the following items:		·
i I	⊠ Basis	of the report			
H	☐ Priori				
111	□ Non-	establishment of	opinion with regard to novelty	inventive ste	ep and industrial applicability
IV		of unity of invent			
V	⊠ Reas citati	oned statement ons and explanat	under Article 35(2) with regard ions suporting such statemen	to novelty, ir	nventive step or industrial applicability;
VI	☐ Certa	ain documents ci	ted		
VII ·		•	international application		
VIII	☐ Certa	ain observations	on the international application	1	
Date of sub	omission of th	e demand	Dat	e of completion	of this report
01/09/20	00		21.0	02.2001	
	mailing addre	ess of the internation uthority:	nal Aut	norized officer	STATE OF SMILLER
<u>)</u>	European I D-80298 M	Patent Office		üchtel, F	
		9 2399 + U TX, 5230 0 2200 - AAEE			200 0000 0010

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/00104

I. Basi	s of t	the r	ep	rt
---------	--------	-------	----	----

1.	resp the i	This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office is response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments (Rules 70.16 and 70.17).): Description, pages:								
	1-4		with telefax of	06/02/2001						
	Clai	ms, No.:								
	1-4		with telefax of	06/02/2001						
	Dra	wings, sheets:								
	1/1		as originally filed							
2.	With	n regard to the lang guage in which the	guage, all the element international application	ts marked above were available or furnished to this Authority in the on was filed, unless otherwise indicated under this item.						
	The	se elements were	available or furnished	to this Authority in the following language: , which is:						
		the language of a	translation furnished	for the purposes of the international search (under Rule 23.1(b)).						
		— Company of the state of the s								
		the language of a 55.2 and/or 55.3).		for the purposes of international preliminary examination (under Rule						
3.	Witl inte	n regard to any nu rnational prelimina	cleotide and/or amin ry examination was ca	o acid sequence disclosed in the international application, the arried out on the basis of the sequence listing:						
		contained in the ir	nternational application	n in written form.						
		filed together with	the international appl	ication in computer readable form.						
		furnished subsequ	uently to this Authority	in written form.						
		furnished subsequently to this Authority in computer readable form.								
		☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure the international application as filed has been furnished.								
		The statement that listing has been for		orded in computer readable form is identical to the written sequence						
4.	The	e amendments hav	e resulted in the canc	ellation of:						
		the description,	pages:							
		the claims,	Nos.:							

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/00104

		the drawings,	sheets:
5.		This report has been considered to go bey	established as if (some of) the amendments had not been made, since they have been wond the disclosure as filed (Rule 70.2(c)):
		(Any replacement sh report.)	neet containing such amendments must be referred to under item 1 and annexed to this
6.	Add	litional observations, i	f necessary:
۷.			nder Article 35(2) with regard to novelty, inventive step or industrial applicability; ons supporting such statement
1.	Sta	tement	

Novelty (N)

Yes: Claims 1-4

No: Claims

Inventive step (IS)

Yes: Claims 1-4

No: Claims

Industrial applicability (IA) Yes: Claims 1-4

No: Claims

2. Citations and explanations see separate sheet

Cited Documents

The following documents indicated in the search report are referred to in this written opinion; the numbering will be adhered to in the rest of the procedure:

D1 GB 2 258 161 A (St John et al.)

Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Independent Claim 1: (New and Inventive) V.1

> Document D1, considered as the closest prior art, discloses a golf tee in accordance with the pre-characterising portion of independent claim 1.

> The subject-matter of independent claim 1 differs from the golf tee as disclosed in document D1 in that the annular support surface formed by the bristles of the golf tee has an inside radius (R1) of 5mm and an outside radius (R2) of 7,5mm.

> The technical problem to be solved by this distinguishing feature is the provision of a golf tee which allows an optimum stable surface for supporting a golf ball, while providing a minimum resistance to a golf club when the golf club passes through said bristles for hitting the golf ball.

> The solution as defined above is not known from any of the documents cited in the search report, is not rendered obvious by any of these documents alone or in combination, and is not a matter of normal design procedure.

> Hence the subject-matter of independent claim 1 fulfills the requirements of the PCT with respect to novelty and inventive step.

v.2 Dependent Claims:

Dependent claims 2 to 4 are referring to independent claim 1, and hence are also new and inventive.

International application No. PCT/IB00/00104

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:

A63B 57/00

(11) International Publication Number:

WO 00/45905

A1

(43) International Publication Date:

10 August 2000 (10.08.00)

(21) International Application Number:

PCT/IB00/00104

(22) International Filing Date:

2 February 2000 (02.02.00)

(30) Priority Data:

99/0825

3 February 1999 (03.02.99)

ZA

(71)(72) Applicant and Inventor: CROUSE, Jason, Lee [ZA/ZA]; 50 Hannaben Street, Linksfield Ridge, 2198 Johannesburg (ZA).

(74) Agents: GILSON, David, Grant et al.; Spoor and Fisher, Rochester Place, 173 Rivonia Road, Morningside, Sandton, P.O. Box 41312, 2024 Craighall (ZA). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: GOLF TEE

(57) Abstract

This invention relates to a golf tee (10) for supporting a golf ball (12) on a ground surface (14). The golf tee (10) includes a base (16) which supports a number of bristles (24) which in turn support the golf ball (12). The bristles (24) are arranged to form an annular support surface (26) which supports the golf ball (12). A shaft (22), which is arranged to be pushed into the ground surface (14), extends from the base (16). The bristles (24) of the golf tee (10) are not broken when the golf ball (12), supported at the golf tee (10), is hit by the face of a golf club. Further, the bristles (24) do not damage the face of the golf club and provide little deflection to the face of the golf club when a golf ball (12) is hit.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВЈ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

-1-

09/890903

Rec'd PCT/PTO 0 3 AUG 2001

GOLF TEE

BACKGROUND OF THE INVENTION

REPLACED BY WO 00/45905

This invention relates to a device, in particular a golf tee, for supporting an object such as a golf ball on a ground surface such as the surface of a teeing mound.

Golf tees are usually made from wooden or plastics materials. Although these materials are softer than the metal club face of a golf club, in use the tees do sometimes damage the club face. In use the tee is also often broken and broken tees tend to litter golf courses and cause damage to mower blades on the golf course.

South African patent no. 87/5576 discloses a golf tee which is made up of two parts. The first part defines a rigid shaft for the tee and the second part defines a cup for the tee. The cup, which is arranged to support a golf ball, is made from a yieldable material and is designed to absorb impact when it is struck by the face of a golf club. The object of this is to stop the tee from breaking and also to cause less damage to the club face. However, in practice, this type of tee does break and also causes damage to the club face especially if the club face strikes the rigid shaft.

It is an object of this invention to provide a golf tee that addresses these problems.

SUMMARY OF THE INVENTION

According to the invention there is provided a device for supporting a ball, such as a golf ball, on a ground surface, such as a teeing mound, the device including:

a base;

engagement means for engaging the base to the ground surface; and

at least one elongated resilient support member, extending from the base, which defines a support surface for supporting the ball.

Advantageously, the device includes a plurality of support members, in form of bristles, which extend from an operatively upper face on the base and which define the support surface.

The bristles may be from 30 to 10mm in length, preferably the bristles are either 27mm, 22mm or 15mm in length.

Advantageously, the bristles are arranged on the upper face to define an annular support surface for supporting the ball.

Typically, the annular support surface has an inside radius of 5mm and an outside radius of 7,5mm.

Advantageously, the bristles are arranged in clusters, typically from 8 to 15 clusters, with from 10 to 25 bristles per cluster.

The bristles are preferably made from nylon and have a thickness of 0,4mm.

Typically, the upper face of the base is circular in shape and has a width of about 18mm.

The engagement means is typically a pointed shaft which extends from an operatively lower face on the base and which is arranged to be pushed into the ground surface.

Advantageously, the shaft is formed integrally with the base.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a side view of a golf tee according to the invention supporting a golf ball;

Figure 2 is a cross-sectional side view of the golf tee of Figure 1, with the support bristles removed; and

Figure 3 is a top view of the golf tee of Figure 1, with the support bristles removed.

DETAILED DESCRIPTION OF THE INVENTION

Referring to Figure 1, a golf tee according to the invention, for supporting a golf ball 12 on a ground surface 14, is shown generally by the numeral 10. The golf tee 10 includes a base 16 defining an operatively upper face 18 and an operatively lower face 20. A pointed shaft 22 extends from the lower face 20 and support bristles 24 which are elongate and resilient extend from the upper face 18. The support bristles 24 define an annular upper support surface 26 which supports the golf ball 12. The annular support surface 26 has an inner radius R_1 of 5mm and an outer radius R_2 of 7,5mm. The support bristles 24 are made of nylon and have a thickness of 0,4mm. The support bristles 24 are arranged in clusters 28 of about twenty bristles per cluster. There are twelve clusters 28 of bristles 24.

Referring to Figure 2, the base 16 is formed integrally with the shaft 22 and is typically moulded from a hard plastics material such as acrylonitrile butadine styrene (ABS plastic). The length L of the shaft 22 depends on the ground surface on which the golf tee is to be used. Typically, the shaft 22 has a length of about 30mm.

Referring now also to Figure 3, the upper face 18 of the base 16 is circular in shape and has a width W of 18mm. A series of holes 30, (in this case twelve holes), are formed in the upper face 18. The twelve holes are arranged in a circular formation. About twenty bristles are inserted into each hole 30, to form the clusters 28 shown in Figure 1.

In use, the shaft 22 of the golf tee 10 is inserted into a ground surface such as a tee mound until the lower face 20 of the base 16 comes into contact with the ground surface. A golf ball 12 is placed on top of the support surface 26 defined by the bristles 24 and the golfer then hits the ball 12 off the golf tee with the club face of a golf club (not shown).

The advantage of the golf tee 10 according to the invention is that when the ball is hit, the face of the golf club only comes into contact with and passes through the soft resilient bristles 24 of the tee. The soft resilient bristles 24 do not damage the club face and provide very little resistance or deflection to the club face when the golf ball is hit. Another advantage is that (unless the club face hits the base 16) the tee is not broken when a ball is hit. This saves golf tees and there is less littering of a golf course with broken golf tees.

Referring to Figure 1, the height H of the support bristles 24 may vary from 30mm to 10mm, depending on the golf club used and the preference of the golfer. In practice, the golf tee 10 according to the invention is provided with support bristles 24 with heights H of 27mm, 22mm or 15mm. A golfer can then select the tee height that he or she wishes to use.

WO 00/45905 PCT/IB00/00104 -5-

Although this invention has been described for supporting golf balls, it is envisaged that it may be used for supporting other types of balls that require a support from which they are hit or kicked.

CLAIMS

1. A device for supporting a ball on a ground surface, the device including:

a base;

engagement means for engaging the base to the ground surface; and

at least one elongated resilient support member, extending from the base, which defines a support surface for supporting the ball.

- A device according to claim 1 which includes a plurality of support members, in form of bristles, which extend from an operatively upper face on the base and which define the support surface.
- 3. A device according to claim 2 wherein the bristles are arranged to define an annular support surface for supporting the ball.
- 4. A golf tee for supporting a golf ball on a ground surface, the golf tee including:

a base;

engagement means for engaging the base to the ground surface; and

at least one elongated resilient support member, extending from the base, which defines a support surface for supporting the ball.

5. A golf tee according to claim 4 including a plurality of support members, in form of bristles, which extend from an operatively upper face on the base and which define the support surface.

- 6. A golf tee according to claim 5 wherein the bristles are arranged to define an annular support surface for supporting the ball.
- A golf tee according to claim 6 wherein the annular support surface has an inside radius of 5mm and an outside radius of 7,5mm.
- 8. A golf tee according to any one of claims 5 to 7 wherein the bristles are from 30mm to 10mm in length.
- 9. A golf tee according to claim 8 wherein the bristles are 27mm, 22mm or 15mm in length.
- 10. A golf tee according to any one of claims 5 to 9 wherein the bristles are arranged in clusters with from 10 to 25 bristles per cluster.
- A golf tee according to any one of claims 5 to 10 wherein the bristles are nylon bristles and have a thickness of 0,4mm.
- 12. A golf tee according to any one of claims 4 to 11 wherein the upper face of the base is circular in shape and has a width of about 20mm.
- 13. A golf tee according to any one of claims 4 to 12 wherein the engagement means is a pointed shaft which extends from an operatively lower face on the base and which is arranged to be pushed into the ground surface.
- 14. A golf tee according to claim 13 wherein the shaft is formed integrally with the base.

INTERNATIONAL SEARCH REPORT

Inter onal Application No PCT/IB 00/00104

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A63857/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC \ 7 \ A63B$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 258 161 A (ST JOHN ET AL.) 3 February 1993 (1993-02-03) the whole document	1-14
X	WO 95 07118 A (SVENSSON) 16 March 1995 (1995-03-16)	1-12
Α	page 4, paragraph 2 -page 5, last paragraph; figures 1,5,6	13,14
X	DE 90 05 261 U (TOPIARZ) 12 July 1990 (1990-07-12)	1-11,13, 14
Α	the whole document	12
X	GB 236 132 A (LLOYD) 23 July 1925 (1925-07-23)	1-9,13, 14
Α	page 1, line 94 -page 2, line 31; figures 4-6	12
	 -/	

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
26 April 2000	04/05/2000
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo ni, Fax: (+31–70) 340–3016	Williams, M

1





PCT/IB 00/00104

	PC1/18 00/00104					
	Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT tegory Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.					
Jalegory	ondition of document, with indication, where appropriate, of the relevant passages	Melevant to claim No.				
X	PATENT ABSTRACTS OF JAPAN vol. 016, no. 509 (C-0997), 21 October 1992 (1992-10-21) & JP 04 189374 A (TSUGUYASU SAKAMOTO), 7 July 1992 (1992-07-07) abstract	1-9,12, 13				
ļ						

1



•

Inter onal Application No PCT/IB 00/00104

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2258161 A	03-02-1993	NONE	
WO 9507118 A	16-03-1995	AU 7628394 A SE 9302864 A	27-03-1995 07-03-1995
DE 9005261 U	12-07-1990	AU 7774691 A WO 9116951 A EP 0527965 A	27-11-1991 14-11-1991 24-02-1993
GB 236132 A		NONE	
JP 04189374 A	07-07-1992	NONE	